

POPIS OPREME ZA TVORNICU PELETA

1. FILTERSKA STANICA

a) 28.500 m³/h ZRAKA, cca 300 m² FILTRIRAJUĆE POVRŠINE, 198 RUKAVACA, 30 kW

b) 60-65.000 m³/h ZRAKA, cca 550 m² FILTRIRAJUĆE POVRŠINE, 2x45 kW motori

c) 80.000 m³/h ZRAKA, cca 730 m² FILTRIRAJUĆE POVRŠINE, 2x20 i 1x55 kW motori







2. GULJAČ KORE Braun mod. B1000 - POLOVAN, SREDEN

Guljač kore napravljen je u teškoj izvedbi za sve vrste trupaca te specijalno pojačan za tvrdo drvo kao što su hrast i bukva

Tradicionalne je izvedbe sa pomičnim kolicima na kojima se nalazi fiksna glava – freza za okoravanje, te specijalni zupčasti kotači koji služe za rotiranje trupaca

Tehnički podaci:

- Min. promjer trupca za okoravanje 200 mm
- Max. promjer trupca za okoravanje 1000 mm
- Min. radna dužina trupca 2 m
- Max. radna dužina trupca 6,5 m
- Okretanje trupca je hidraulično
- Pomak kolica sa frezom je hidraulički
- 5+5 specijalnih zupčastih kotača za rotaciju trupca
- ruka nosača freze je sa oscilirajućim pomakom preko pneumatskih komandi
- centralna hidraulička stanica koja se sastoji od rezevoara, motora, pumpe, manometra i čitača nivoa ulja
- dužina stroja 8 m
- širina stroja 1,8 m
- visina 1,5 m
- kapacitet cca 50.000 m³/godišnje





3. MOKRI MLIN ČEKIČAR "ZEPI srl" -za mokri čips
- ROTOR fi 1000 L=1200 mm, motor 250 kW





4. BUNKER ZA SUHI ČIPS i SILOSI

- L=9000 mm, ŠIRINA = 3200 mm, VISINA=4000 mm, POMIČNI POD, 3 HIDR. CILINDRA







5. PUŽEVI ZA PRIJENOS ČIPSA RAZNI fi 400mm L=4000 mm, MOTOR 3 Kw





6. ROTACIONI MAGNETSKI ODVAJAČ U INOXU, motor 0,55 kW



7. PREŠA ZEPI GD 670

- MOTOR 200 kW, PROMJER MATRICE 670 mm
- PROIZVODNJA TVRDO DRVO 1,8-2,2 t/h
- PROIZVODNJA MEKO DRVO 2,2-2,5 t/h



TECNOLOGIE srl

PRESSA GD67-200 KW USATA E REVISIONATA



8. ELEVATOR U Z IZVEDBI SA VEDRICAMA U INOXU



9. VIBRO SEPARATOR



10. HLADNJAK ZA PELET



11. SUHI MLIN (za suhi čips), ROTOR fi 500 mm, L=1000 mm, MOTOR 132 kW





12. CIKLONI, TRANSPORTERI, VENTILATORI, SILOSI I DR.







13. AUTOMATSKI STROJ ZA UVREČAVANJE PELETA "VAI V5/10"

- automatska elektronska vaga
- traka
- komplet automatsko uvrečavanje kapacitet 400 vreća/h



14. LINIJA ZA PALETIRANJE - AUTOMATSKA

- odozdo prema gore
- automatsko omatanje
- transporteri

